

Striving to make the job easier since 1993

Call Us Toll-Free: Order Online At:

1-800-299-3291 <u>mavenindustrial.com</u>

Saw Blades

Saw blades for reciprocating and band saw tools in a variety of lengths, thickness, and teeth-per-inch. Constructed from durable high-Cobalt steel to reduce wear and increase working life.



Reciprocating Saw Blades

OTATI II	CVII 4 Langth Thiskness TDI				
SKU#	Length	Thickness	TPI		
<u>2001G</u>	6 in	0.050 in	6		
<u>2002G</u>	6 in	0.050 in	14		
<u>2002W</u>	6 in	0.050 in	14		
<u>2003G</u>	6 in	0.050 in	18		
<u>2012G</u>	6 in	0.035 in	14		
<u>2012W</u>	6 in	0.035 in	14		
<u>2005G</u>	6 in	0.035 in	18		
<u>2006G</u>	8 in	0.050 in	10 & 14		
<u>2006W</u>	8 in	0.050 in	10 & 14		
<u>2007G</u>	9 in	0.050 in	6		
<u>2007W</u>	9 in	0.050 in	6		
<u>2008G</u>	9 in	0.050 in	14		
<u>2008W</u>	9 in	0.050 in	14		
<u>2009G</u>	9 in	0.050 in	18		
<u>2014G</u>	12 in	0.050 in	10 & 14		
<u>2015W</u>	12 in	0.050 in	18		
<u>2027W</u>	12 in	0.062 in	6		
<u>2016W</u>	12 in	0.062 in	10 & 14		
<u>2017W</u>	12 in	0.062 in	14		
<u>2029W</u>	12 in	0.062 in	18		
<u>2018W</u>	9 in	0.062 in	18		
<u>2019W</u>	9 in	0.062 in	14		
<u>2028W</u>	9 in	0.062 in	6		
<u>2023W</u>	6 in	0.062 in	10 & 14		
<u>2024W</u>	6 in	0.062 in	14		
<u>2026W</u>	6 in	0.062 in	6		

Toll-Free: 1-800-299-3291

Band Saw Blades

SKU#	Length	Thickness	TPI
<u>2020</u>	44-7/8 in	0.020 in	18
<u>2021</u>	44-7/8 in	0.020 in	14
<u>2022</u>	44-7/8 in	0.020 in	10 & 14
<u>2025</u>	35-3/8 in	0.020 in	18

MAVEN mavenindustrial.com

Drill Bits & Kits

Heavy duty drill bits suitable for use in wok-hardening metals and soft panels alike. Jobber-length, silver & deming, and a selection of single and double-ended bits suitable for spotwelds.



Silver & Deming Bits

SKU#	Diameter	Length
<u>3063</u>	3/4 in	6 in
<u>3064</u>	17/32 in	6 in
<u>3065</u>	5/8 in	6 in
<u>3066</u>	9/16 in	6 in

Spotweld & Twin-End Bits

SKU#	Diameter	Length	Material
<u>3001</u>	1/8 in TE	2.25 in	HSS
<u>3002</u>	1/8 in TE	2.25 in	HSS+Ti
<u>3080</u>	8 mm	2.25 in	Cobalt
<u>3081</u>	10 mm	1.75 in	Cobalt
<u>3082</u>	6.50 mm TE	3.62 in	Cobalt
<u>3083</u>	10 mm TE	3.62 in	Cobalt
<u>3084</u>	8 mm TE	3.62 in	Cobalt
<u>3061</u>	3/16 in TE	3.62 in	Cobalt
<u>3062</u>	1/8 in TE	3.62 in	Cobalt

Note: Diameters above marked with "TE" are Twin-End bits.

Jobber Bits

SKU#	Diameter	Length
<u>3030</u>	1/16 in	1-7/8 in
<u>3031</u>	5/64 in	2 in
<u>3032</u>	3/32 in	2-1/4 in
<u>3033</u>	7/64 in	2-5/8 in
<u>3034</u>	1/8 in	2-3/4 in
<u>3035</u>	9/64 in	2-7/8 in
<u>3036</u>	5/32 in	3-1/8 in
<u>3037</u>	11/64 in	3-1/4 in
<u>3038</u>	3/16 in	3-1/2 in
<u>3039</u>	13/64 in	3-5/8 in
<u>3040</u>	7/32 in	3-3/4 in
<u>3041</u>	15/64 in	3-7/8 in
<u>3042</u>	1/4 in	4 in
<u>3043</u>	17/64 in	4-1/8 in
<u>3044</u>	9/32 in	4-1/4 in
<u>3045</u>	19/64 in	4-3/8 in
<u>3046</u>	5/16 in	4-1/2 in
<u>3047</u>	21/64 in	4-5/8 in
<u>3048</u>	11/32 in	4-3/4 in
<u>3049</u>	23/64 in	4-7/8 in
<u>3050</u>	3/8 in	5 in
<u>3051</u>	25/64 in	5-1/8 in
<u>3052</u>	13/32 in	5-1/4 in
<u>3053</u>	27/64 in	5-3/8 in
<u>3054</u>	7/16 in	5-1/2 in
<u>3055</u>	29/64 in	5-5/8 in
<u>3056</u>	15/32 in	5-3/4 in
<u>3057</u>	31/64 in	5-7/8 in
<u>3058</u>	1/2 in	6 in

Toll-Free: 1-800-299-3291



Drill Bits & Kits

4

Maven also offers several drill kits. Tap & die kits in several thread types and a complement of left-hand and bolt/stud extraction bits.





Drill Tool Kits

SKU#	Kit
<u>3009</u>	Tap & Die Set 45pc
<u>3016</u>	Tap & Drill Set 18pc - NF
<u>3017</u>	Tap & Drill Set 18pc - Metric
<u>3019</u>	Left Hand Bits 1/16"-1/2" x 32nds 15pc HSS
<u>3020</u>	Left Hand Bits 1/16"-1/2" x 32nds 15pc HSS+Ti
<u>3006</u>	Bolt/Stud Remover 10pc
<u>3004</u>	Jobber Set 1/16"-1/4" 13pc Cobalt
<u>3005</u>	Jobber Set 1/16"-1/2" 29pc Cobalt
<u>3018</u>	Jobber Set 1/16"-3/8" 21pc Cobalt
<u>3012</u>	Jobber Set 1/16"-1/4" 13pc HSS
<u>3013</u>	Jobber Set 1/16"-1/2" 29pc HSS
<u>3010</u>	Silver&Deming Set 9/16", 5/8", 3/4", & 1" 4pc
<u>3011</u>	3/16" Screw Mach Set 12pc
<u>3015</u>	Screw Mach Set 1/16"-1/2" 29pc
<u>3021</u>	Step Drill Set SAE 5pc

Cutting & Grinding

Cut-off or parting wheels and grinding wheels tailored for high performance. Offered in a variety of sizes to maximize compatibility with existing tooling.



Cutoff Wheels

SKU#	Diameter	Thickness	Arbor
<u>8010</u>	4-1/2 in	1/8 in	7/8 in
<u>8011</u>	4-1/2 in	1/16 in	7/8 in
<u>8012</u>	4-1/2 in	0.045 in	7/8 in
<u>8013</u>	4-1/2 in	1/32 in	7/8 in
<u>8014</u>	4 in	1/8 in	5/8 in
<u>8015</u>	4 in	1/16 in	5/8 in
<u>8016</u>	4 in	0.04 in	5/8 in
<u>8017</u>	4 in	1/8 in	3/8 in
<u>8018</u>	4 in	1/16 in	3/8 in
<u>8019</u>	4 in	1/32 in	3/8 in
<u>8020</u>	3 in	1/8 in	3/8 in
<u>8021</u>	3 in	1/16 in	3/8 in
<u>8022</u>	3 in	1/32 in	3/8 in
<u>8023</u>	3 in	3/32 in	3/8 in
<u>8024</u>	3 in	1/32 in	1/4 in
<u>8025</u>	3 in	1/4 in	3/8 in
<u>8026</u>	5 in	1/16 in	7/8 in
<u>8027</u>	5 in	1/8 in	7/8 in
<u>8028</u>	5 in	0.045 in	7/8 in
<u>8029</u>	6 in	0.045 in	7/8 in
<u>8030</u>	7 in	1/16 in	7/8 in
<u>8031</u>	12 in	1/8 in	1 in
<u>8032</u>	12 in	3/32 in	1 in
<u>8033</u>	12 in	5/32 in	20mm
<u>8034</u>	12 in	5/32 in	1 in
<u>8035</u>	14 in	1/8 in	1 in
<u>8036</u>	14 in	3/32 in	1 in
<u>8037</u>	14 in	5/32 in	20mm
<u>8038</u>	14 in	5/32 in	1 in
5 Toll-Free: 1-800-299-3291			

Grinding Wheels

SKU#	Diameter	Thickness	Arbor
<u>8005</u>	4 in	1/4 in	5/8 in
<u>8004</u>	4-1/2 in	1/4 in	7/8 in
<u>8094</u>	4-1/2 in	.045 in	7/8 in
<u>8003</u>	5 in	1/4 in	7/8 in
<u>8002</u>	7 in	1/4 in	7/8 in
<u>8007</u>	7 in	1/4 in	5/8-11 in
<u>8001</u>	9 in	1/4 in	7/8 in
<u>8006</u>	9 in	1/4 in	5/8-11 in

MAVEN

Cutting & Grinding

Flap discs made in 4 & 1/2 inch diameter with premium zircon abrasive. Offered in a variety of grit and flap density. All discs are Type-27 flat format. Available with 7/8 inch arbor and 5/8-11 inch threaded arbor. We also offer a trimmable plastic disk with 5/8-11 thread for exceptional versatility.





Flap-Disks

SKU#	Arbor	Grit	Density
8040	7/8 in	24	2x
8041	7/8 in	36	2x
<u>8042</u>	7/8 in	40	2x
<u>8043</u>	7/8 in	60	2x
<u>8044</u>	7/8 in	80	2x
<u>8045</u>	7/8 in	120	2x
<u>8052</u>	7/8 in	24	1x
<u>8053</u>	7/8 in	36	1x
<u>8054</u>	7/8 in	40	1x
<u>8055</u>	7/8 in	60	1x
<u>8056</u>	7/8 in	80	1x
<u>8057</u>	7/8 in	120	1x
<u>8048</u>	5/8-11 in	40	2x
<u>8049</u>	5/8-11 in	60	2x
<u>8050</u>	5/8-11 in	80	2x
<u>8051</u>	5/8-11 in	120	2x
<u>8064</u>	5/8-11 in*	40	2x
<u>8065</u>	5/8-11 in*	60	2x
<u>8066</u>	5/8-11 in*	80	2x

Note: Arbors marked with an asterisk "*" denote Trimmable plastic flap discs.

Toll-Free: 1-800-299-3291

Surface & Sanding

Premium blended zirconia and alumina oxide grains from 24 to 120 grit in resin-fiber pads. Disks available as 2 and 3 inch threaded roll-on pads, and open arbor resin fiber pads in 4.5, 5, and 7 inches.



Roll-On Sanding Disks

SKU#	Diameter	Grit
<u>4007</u>	3 in	24
<u>4008</u>	3 in	36
<u>4009</u>	3 in	50
<u>4010</u>	3 in	80
<u>4011</u>	3 in	100
<u>4012</u>	3 in	120
<u>4013</u>	3 in	240
<u>4014</u>	2 in	24
<u>4015</u>	2 in	36
<u>4016</u>	2 in	50
<u>4017</u>	2 in	80
<u>4018</u>	2 in	100
<u>4019</u>	2 in	120

Roll-On Backing Pads

SKU#	Diameter
<u>3007</u>	2 in
<u>3008</u>	3 in

Toll-Free: 1-800-299-3291

Resin-Fiber Sanding Disks

SKU#	Diameter	Arbor	Grit
<u>4024</u>	4.5 in	7/8 in	24
<u>4025</u>	4.5 in	7/8 in	36
<u>4026</u>	4.5 in	7/8 in	50
<u>4027</u>	4.5 in	7/8 in	80
<u>4020</u>	4.5 in	7/8 in	100
<u>4028</u>	5 in	7/8 in	24
<u>4021</u>	5 in	7/8 in	36
<u>4029</u>	5 in	7/8 in	50
<u>4030</u>	5 in	7/8 in	60
<u>4031</u>	5 in	7/8 in	80
<u>4032</u>	7 in	7/8 in	24

Work Wear

8

Personal protective work wear for a variety of working environments. Maven offers a collection of durable equipment to help get the job done safely.



Protective Suits

SKU#	Туре	Size
<u>5020</u>	PVC Rain Suit	M
<u>5021</u>	PVC Rain Suit	L
<u>5022</u>	PVC Rain Suit	XL
<u>5023</u>	PVC Rain Suit	2XL
<u>5024</u>	Paint Suit	2XL
<u>5025</u>	TYVEK Coverall	XL
<u>5026</u>	TYVEK Coverall	2XL

Work Gloves

SKU#	Diameter	Size
<u>5001</u>	Leather palm 2in cuff	L
<u>5002</u>	Brown Jersey	L
<u>5003</u>	Blue Latex Dip	L

Safety Glasses

SKU#	Lenses	Frames
<u>5015</u>	Anti-Fog	Gray/Green
<u>5016</u>	Scratchcoat	Gray
<u>5017</u>	Scratchcoat	Clear

Toll-Free: 1-800-299-3291 MAVEN mavenindustrial.com

Tapes & Hoses

Part of our general purpose supplies include industrial strength tapes and tool hoses. From generic packing to job-specific molding adhesive tapes. Our hoses are offered primarilly for air and gas operated tools in a variety of lengths.



Adhesive Tapes

SKU#	Туре	Width	Length
<u>7001</u>	Packing Tape	2 in	110 yd
<u>7002</u>	Packing Tape	2 in	55 yd
<u>7003</u>	PVC Electrical	3/4 in	60 ft
<u>7007</u>	Duct Tape Silver	48 mm	54 m
<u>7004</u>	Molding Tape	1/4 in	20 yd
<u>7006</u>	Molding Tape	1/2 in	20 yd
<u>7005</u>	Molding Tape	3/4 in	20 yd

9

Air & Gas Hoses

SKU#	Туре	Length
<u>6001</u>	Rubber Air Hose	25 ft
<u>6002</u>	Rubber Air Hose	50 ft
<u>6003</u>	Rubber Air Hose	100 ft
<u>6004</u>	Dual-Gas Hose	25 ft
<u>6005</u>	Dual-Gas Hose	50 ft
<u>6006</u>	Dual-Gas Hose	100 ft
<u>6007</u>	Air Hose Whip	5 ft

General Purpose

10

Industrial consumable supplies for a wide range of jobs or situational needs. These supplies have been carefully selected by Maven for their reliability and quality.





General Supplies

SKU#	Item
<u>6008</u>	Quick Coupler Air Fittings 5pc
<u>7008</u>	Plastic Wrap 19μ 450mm x 425m
<u>1001</u>	Maven Penetrating Oil Spray
<u>1003</u>	Cargo lash 2" x 20' w/ J-Hook
<u>1004</u>	Cargo lash 2" x 27' w/ J-Hook
<u>1008</u>	31" Rubber Tie Down S-Hook
<u>1009</u>	21" Rubber Tie Down S-Hook
<u>1010</u>	15" Rubber Tie Down S-Hook
<u>1014</u>	4.1" UV Black Cable Ties bag of 1000
<u>1015</u>	7" UV Black Cable Ties bag of 1000
<u>1016</u>	11" UV Black Cable Ties bag of 500
<u>1017</u>	14" UV Black Cable Ties bag of 500
<u>1018</u>	24" UV Black Cable Ties bag of 100
<u>1019</u>	36" UV Black Cable Ties bag of 50
<u>1040</u>	Plastic Spreaders 3" x 4"
<u>1041</u>	Plastic Spreaders 4" x 5"
<u>1043</u>	Non-Woven Industrial Hand Pads Maroon
<u>1044</u>	Non-Woven Industrial Hand Pads Grey

Toll-Free: 1-800-299-3291 MAVEN mavenindustrial.com